

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	((chang\$5 near4 width) near10 slot) and (piston)	US-PGPUB	OR	OFF	2008/08/07 11:26
L2	5	((chang\$5 near4 width) near10 slot) and piston	US-PGPUB	OR	OFF	2008/08/07 11:28
L3	5	((chang\$5 near4 width) near20 slot) and piston	US-PGPUB	OR	OFF	2008/08/07 11:29
L4	160	((chang\$5 near4 width) and slot) and piston	US-PGPUB	OR	OFF	2008/08/07 11:29
L5	79	((chang\$5 near4 width) and slot) and piston and coating	US-PGPUB	OR	OFF	2008/08/07 11:29
L6	1	((adapt\$5 near4 width) near10 slot) and piston and coating	US-PGPUB	OR	OFF	2008/08/07 11:29
L7	1	((chang\$5 near4 width) near20 slot) and piston and coating	US-PGPUB	OR	OFF	2008/08/07 11:30
L8	5	((chang\$5 near10 width) near20 slot) and piston and coating	US-PGPUB	OR	OFF	2008/08/07 11:30

L9	0	((chang\$5 near10 width) near20 slot) and piston and (confining near4 fluid)	US-PGPUB	OR	OFF	2008/08/07 11:33
L10	0	((chang\$5 near10 width) near20 slot) and piston and (confining near20 fluid)	US-PGPUB	OR	OFF	2008/08/07 11:33
L11	0	((chang\$5 near20 width) near20 slot) and piston and (confining near20 fluid)	US-PGPUB	OR	OFF	2008/08/07 11:36
L12	0	((chang\$5 near20 width) near30 slot) and piston and (confining near20 fluid)	US-PGPUB	OR	OFF	2008/08/07 11:36
L13	1	((adapt\$5 near20 width) near30 slot) and piston and (confining near20 fluid)	US-PGPUB	OR	OFF	2008/08/07 11:37
L14	1	((adapt\$5 near20 width) near30 slot) and (sealing near10 elements) and (confining near20 fluid)	US-PGPUB	OR	OFF	2008/08/07 11:46
L15	2	((adapt\$5 near20 width) near30 slot) and (sealing near10 elements)	US-PGPUB	OR	OFF	2008/08/07 11:47

8/ 7/ 08 11:51:11 AM